



**FLOTEK**  
**PROTEKOL**  
**SAFETY DATA SHEET**

Issue date 08-Mar-2021

Revision Date 08-Mar-2021

Revision Number 1

## 1. IDENTIFICATION

### 1.1. Product identifier

Product is sold ready for use.

**Product name** Flotek Protekol™ All Purpose Cleaner 75% Isopropyl Alcohol

**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Cleaning agent , Multi-surface cleaning

**Uses advised against** Human Consumption

### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Flotek Chemistry, LLC  
1004 S. Plainsman Road  
Marlow, OK 73055  
Phone +1 (580) 658-6608  
Fax +1 (580) 658-3223

For further information, please contact:

**Contact Point** [www.flotekprotekol.com](http://www.flotekprotekol.com)

**E-mail address** [information@flotekind.com](mailto:information@flotekind.com)

### 1.4. Emergency telephone number

**Emergency telephone** +1 405-282-8510

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Physical hazards Flammable liquids	Category 2

### 2.2. Label elements



**Signal word**

Danger

**Hazard statements**

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

H225 - Highly flammable liquid and vapor

**Precautionary Statements - EU (§28, 1272/2008)**

P370 + P378 - In case of fire: Use dry sodium carbonate to extinguish

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

**2.3. Other hazards**

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Isopropyl alcohol	200-661-7	67-63-0	~75	Flam. Liq. 2 (H225) STOT SE 3 (H336) Eye Irrit. 2 (H319)	No data available

**Additional information**

vol/vol percentages

**4. FIRST AID MEASURES**

**Description of first aid measures**

**General advice**

Show this material safety data sheet to the doctor in attendance.

**Eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

**Skin contact**

None under normal use conditions. If severe irritation develops and persists or an allergic reaction occurs, rinse with soap and water and seek medical attention.

**Ingestion**

Do NOT induce vomiting. Call a physician or poison control center immediately. Rinse mouth. Never give anything by mouth to an unconscious person.

**Inhalation**

---

Remove to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.

**4.2. Most important symptoms and effects, both acute and delayed**

**Main Symptoms**

Causes central nervous system depression.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Notes to physician**

Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**5.1. Extinguishing media**

**Suitable Extinguishing Media**

Extinguishing media - small fires. Dry chemical, CO<sub>2</sub>, water spray or alcohol-resistant foam. Extinguishing media - large fires. Water spray, fog or alcohol-resistant foam.

**Extinguishing media which must not be used for safety reasons**

Do not use water jet.

**5.2. Special hazards arising from the substance or mixture**

**Special Hazard**

Extremely flammable. Will be easily ignited by heat, sparks or flames. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Cool containers with flooding quantities of water until well after fire is out.

**5.3. Advice for firefighters**

**Special protective equipment for fire-fighters**

As in any fire, wear self-contained breathing apparatus and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Keep people away from and upwind of spill/leak. Remove all sources of ignition. Stop leak if you can do it without risk. Ensure adequate ventilation. Use personal protective equipment as required. Do not touch or walk through spilled material. All equipment used when handling the product must be grounded.

See Section 12 for additional information.

**6.2. Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. Do not allow into any sewer, on the ground or into any body of water.

**6.3. Methods and material for containment and cleaning up**

Dike far ahead of liquid spill for later disposal.

Take precautionary measures against static discharges. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

**6.4. Reference to other sections**

**7. HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Ensure adequate ventilation. When transferring large amounts of the product, metal containers should be grounded. Wear personal protective equipment/face protection. Handle in accordance with good industrial hygiene and safety practice. Take precautionary measures against static discharges.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and sources of ignition.

**7.3. Specific end use(s)**

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

**Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

NIOSH IDLH: Immediately Dangerous to Life or Health

**Exposure limits**

Chemical name	European Union	United Kingdom	France	Spain	Germany
Isopropyl alcohol 67-63-0	-	STEL: 500 ppm STEL: 1250 mg/m <sup>3</sup> TWA: 400 ppm TWA: 999 mg/m <sup>3</sup>	STEL: 400 ppm STEL: 980 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> Ceiling / Peak: 400 ppm Ceiling / Peak: 1000 mg/m <sup>3</sup>
Component	Italy	Portugal	Netherlands	Finland	Denmark
Isopropyl alcohol 67-63-0 ( ~75 )		TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm 8hr, 500 mg/m <sup>3</sup> 8hr	TWA: 200 ppm TWA: 500 mg/m <sup>3</sup> STEL: 250 ppm STEL: 620 mg/m <sup>3</sup>	TWA: 200 ppm TWA: 490 mg/m <sup>3</sup>
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Isopropyl alcohol 67-63-0	STEL 800 ppm STEL 2000 mg/m <sup>3</sup> TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	STEL: 400 ppm STEL: 1000 mg/m <sup>3</sup> TWA: 200 ppm TWA: 500 mg/m <sup>3</sup>	TWA: 900 mg/m <sup>3</sup> STEL: 1200 mg/m <sup>3</sup>	TWA: 100 ppm TWA: 245 mg/m <sup>3</sup> STEL: 125 ppm STEL: 306.25 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm Sk*

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available

**8.2. Exposure controls**

**Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal protective equipment**

**Eye Protection**

None under normal use conditions. If splashes are likely to occur, wear: tightly fitting safety goggles or face-shield, as appropriate.

**Hand Protection**

None under normal use conditions. If submerged for long periods of time, wear butyl or nitrile rubber gloves.

**Skin and body protection**

None under normal use conditions. Wear suitable protective clothing.

**Respiratory protection**

None under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing before re-use.

**Environmental Exposure Controls**

The product should not be allowed to enter drains, water courses or the soil.

## 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical State</b>	Liquid
<b>Appearance</b>	clear
<b>Color</b>	colorless
<b>Odor</b>	Alcohol.
<b>Odor Threshold</b>	No information available

Property	Values	Remarks • Method
pH	6.9 - 9.9	neat
Melting point / freezing point	< -28.89	None known
Boiling point / boiling range	No data available	None known
Flash point	20.9 °C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.828 - 0.888	
Water solubility	Soluble in water	None known
Solubility in other solvents	No data available	None known
Partition coefficient: n-octanol/water	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Viscosity, dynamic	No data available	None known
Explosive properties	No information available	
Oxidizing properties	No information available	

### 9.2. Other information

<b>Softening point</b>	No information available
<b>Molecular Weight</b>	No information available
<b>VOC Content (%)</b>	No information available
<b>Liquid Density</b>	6.91-7.41 lbs/gal
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Heat (temperatures above flash point), sparks, ignition points, flames, static electricity. Strong oxidizing agents.

### 10.5. Incompatible materials

Strong oxidizing agents. Chlorine. Acids. Isocyanates. Acetaldehyde. Ethylene Oxide. Strong reducing agents. Strong bases.

### **Hazardous Decomposition Products**

None under normal use conditions.

## 11. TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity

#### Product Information

<b>Inhalation</b>	None under normal use conditions. Close exposure to large open volumes or huffing vapors may cause adverse effects. Inhalation of vapors is irritating to the respiratory system, may cause throat pain and cough. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination.
<b>Eye contact</b>	Avoid contact with eyes. Severely irritating to eyes.
<b>Skin contact</b>	None under normal use conditions. Substance may cause slight skin irritation.
<b>Ingestion</b>	None under normal use conditions. Not an expected route of exposure. Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause adverse cardiac effects. May cause central nervous system depression. May cause drowsiness or dizziness. May cause adverse kidney effects.

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropyl alcohol	= 1870 mg/kg ( Rat )	12800 mg/kg ( Rat ) 12870 mg/kg ( Rabbit ) 8.00 mL/kg, 6280 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h

#### Chronic toxicity

#### Sensitization

No information available

#### Target organ effects

Central nervous system.

## 12. ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Ecotoxicity

The environmental impact of this product has not been fully investigated. Low order of toxicity based on components.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropyl alcohol	1000: 72 h Desmodesmus subspicatus mg/L EC50 1000: 96 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	-	EC50: =13299mg/L (48h, Daphnia magna)

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

Chemical name	Partition coefficient
Isopropyl alcohol	0.05

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

No information available

12.6. Other adverse effects

**13. DISPOSAL CONSIDERATIONS**

13.1. Waste treatment methods

**Waste from Residues/Unused Products**

Dispose of in accordance with local regulations.

**Contaminated packaging**

Do not reuse empty containers.

**EWC Waste Disposal No**

According to the European Waste Catalog, Waste Codes are not product specific, but application specific Waste codes should be assigned by the user based on the application for which the product was used

**14. TRANSPORT INFORMATION**

DOT

<b>Proper shipping name</b>	UN1219, Isopropanol Solution, 3, PG II
<b>Hazard class</b>	3
<b>UN/ID no</b>	UN1219
<b>Packing Group</b>	PG II

**15. REGULATORY INFORMATION**

**International Inventories**

<b>TSCA</b>	Complies
<b>EINECS/ELINCS</b>	-
<b>DSL/NDSL</b>	Complies
<b>PICCS</b>	-
<b>ENCS</b>	-
<b>IECSC</b>	-
<b>AICS</b>	-
<b>KECL</b>	-

**Legend**

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- AICS** - Australian Inventory of Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances

15.2. Chemical safety assessment Chemical Safety Report

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropyl alcohol	67-63-0	~75	1.0

**SARA 311/312 Hazard Categories**

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

**CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

**Canada**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

Chemical name	WHMIS Hazard Class
Isopropyl alcohol	1 % B2,D2B


Chemical name	NPRI
Isopropyl alcohol	X

**Legend**

NPRI - National Pollutant Release Inventory

**16. OTHER INFORMATION**

<u>NFPA</u>	Health hazards 2	Flammability 3	Stability 0	Physical and chemical properties -
<u>HMIS</u>	Health hazards 2	Flammability 3	Physical hazards 0	Personal protection -



**Full text of H-Statements referred to under sections 2 and 3**

- H319 - Causes serious eye irritation
- H336 - May cause drowsiness or dizziness
- H225 - Highly flammable liquid and vapor

**Key or legend to abbreviations and acronyms used in the safety data sheet**



---

**Legend**

<b>Issue date</b>	08-Mar-2021
<b>Revision Date</b>	08-Mar-2021
<b>Revision Note</b>	Not applicable.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.**

**US Only: This safety data sheet complies with the requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.**

**Disclaimer**

**While the information and data contained herein are presented in good faith and believed to be reliable, nothing herein shall be deemed to constitute a warranty, express or implied, that the information or data is reliable, accurate, or complete or that the products or services described herein are merchantable or fit for a particular purpose or that said information, data, products, or services can be used without infringing the intellectual property rights of third parties. Individuals who receive the products, services, information or data relating to the products or services described herein, must use their own judgment in determining fitness for a particular purpose. Unless otherwise stated, the information or data contained herein relates to the products or services when not used in conjunction with any other products, services, or materials. All express and implied warranties of merchantability, fitness for a particular purpose, and non-infringement are hereby disclaimed. There shall be no liability for (i) any loss or damage that may occur from the use of the products or services described herein, including the use of the products or services in conjunction with other products, services, or materials; or (ii) any loss or damage that may occur from the reliance on the data or information described herein.**